

L Number	Hits	Search Text	DB	Time stamp
1	97	stale near2 message\$1	USPAT	2004/01/15 07:20
2	20	(stale near2 message\$1) with (filter\$3 or remov\$3)	USPAT	2004/01/15 07:22
3	43	(stale near2 message\$1) and g06f\$.ipc.	USPAT	2004/01/15 07:22
4	31	((stale near2 message\$1) and g06f\$.ipc.) not ((stale near2 message\$1) with (filter\$3 or remov\$3))	USPAT	2004/01/15 07:30
5	35	timer with stale	USPAT	2004/01/15 07:31
6	16432	((timer or timing or time) or error) adj message\$1	USPAT	2004/01/15 07:32
7	21322	((timer or timing or time) or error) adj2 message\$1	USPAT	2004/01/15 07:34
8	46	((timer or timing or time) or error) adj2 message\$1) same stale	USPAT	2004/01/15 07:35
9	10	((timer or timing or time) or error) adj2 message\$1) with stale	USPAT	2004/01/15 07:32
10	12834	((timer or timing or time) or error) adj2 message\$1	US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/15 07:34
11	6	((timer or timing or time) or error) adj2 message\$1) with stale	US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/15 07:34
12	36	((timer or timing or time) or error) adj2 message\$1) same stale) not (((timer or timing or time) or error) adj2 message\$1) with stale)	USPAT	2004/01/15 07:35


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before September 2000

 Terms used timer state illegal application queue request illegal message error exception

Found 48 of 97,871

Sort results by

Display results


[Save results to a Binder](#)

[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 48

Result page: [1](#) [2](#) [3](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [ARPS: a new real-time computer](#)

Kenneth J. Thurber

October 1976 **ACM SIGARCH Computer Architecture News**, Volume 5 Issue 4

Full text available: pdf(1.14 MB)

Additional Information: [full citation](#), [references](#)

3 [Human-computer interface development: concepts and systems for its management](#)

H. Rex Hartson, Deborah Hix

March 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 1

Full text available: pdf(7.97 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Human-computer interface management, from a computer science viewpoint, focuses on the process of developing quality human-computer interfaces, including their representation, design, implementation, execution, evaluation, and maintenance. This survey presents important concepts of interface management: dialogue independence, structural modeling, representation, interactive tools, rapid prototyping, development methodologies, and control structures. *Dialogue independence* is th ...

4 [Network Protocols](#)

Andrew S. Tanenbaum

December 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 4

Full text available:  pdf(3.37 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 [Fault Tolerant Operating Systems](#) 

Peter J. Denning

December 1976 **ACM Computing Surveys (CSUR)**, Volume 8 Issue 4

Full text available:  pdf(2.69 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 [DROL: an object-oriented programming language for distributed real-time systems](#) 

Kazunori Takashio, Mario Tokoro

October 1992 **ACM SIGPLAN Notices , conference proceedings on Object-oriented programming systems, languages, and applications**, Volume 27 Issue 10

Full text available:  pdf(2.18 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

7 [The mach exception handling facility](#) 

David L. Black, David B. Golub, Karl Hauth, Avadis Tevanian, Richard Sanzi


November 1988 **ACM SIGPLAN Notices , Proceedings of the 1988 ACM SIGPLAN and SIGOPS workshop on Parallel and distributed debugging**, Volume 24 Issue 1

Full text available:  pdf(1.18 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

8 [Process management and exception handling in multiprocessor operating systems using object-oriented design techniques](#) 

Vincent Russo, Gary Johnston, Roy Campbell

January 1988 **ACM SIGPLAN Notices , Conference proceedings on Object-oriented programming systems, languages and applications**, Volume 23 Issue 11

Full text available:  pdf(1.22 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The programming of the interrupt handling mechanisms, process switching primitives, scheduling mechanisms, and synchronization primitives of an operating system for a multiprocessor require both efficient code in order to support the needs of high-performance or real-time applications and careful organization to facilitate maintenance. Although many advantages have been claimed for object-oriented class hierarchical languages and their corresponding design methodologies, the application of ...

9 [CLAW, a high level, portable, Ada 95 binding for Microsoft Windows](#) 

Randall Brukardt, Tom Moran

November 1997 **Proceedings of the conference on TRI-Ada '97**

Full text available:  pdf(2.00 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

10 [The space shuttle primary computer system](#) 

Alfred Spector, David Gifford

September 1984 **Communications of the ACM**, Volume 27 Issue 9


Full text available:  pdf(5.34 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: PASS, avionics system, space shuttle

11 Programming languages for distributed computing systems

Henri E. Bal, Jennifer G. Steiner, Andrew S. Tanenbaum

September 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 3

Full text available:  pdf(6.60 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

When distributed systems first appeared, they were programmed in traditional sequential languages, usually with the addition of a few library procedures for sending and receiving messages. As distributed applications became more commonplace and more sophisticated, this ad hoc approach became less satisfactory. Researchers all over the world began designing new programming languages specifically for implementing distributed applications. These languages and their history, their underlying pr ...

12 The click modular router

Eddie Kohler, Robert Morris, Benjie Chen, John Jannotti, M. Frans Kaashoek

August 2000 **ACM Transactions on Computer Systems (TOCS)**, Volume 18 Issue 3

Full text available:  pdf(376.31 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Clicks is a new software architecture for building flexible and configurable routers. A Click router is assembled from packet processing modules called elements. Individual elements implement simple router functions like packet classification, queuing, scheduling, and interfacing with network devices. A router configurable is a directed graph with elements at the vertices; packets flow along the edges of the graph. Several features make individual elements more powerful and ...

Keywords: component systems, routers, software router performance

13 Third Generation Computer Systems

Peter J. Denning

December 1971 **ACM Computing Surveys (CSUR)**, Volume 3 Issue 4

Full text available:  pdf(3.52 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The common features of third generation operating systems are surveyed from a general view, with emphasis on the common abstractions that constitute at least the basis for a "theory" of operating systems. Properties of specific systems are not discussed except where examples are useful. The technical aspects of issues and concepts are stressed, the nontechnical aspects mentioned only briefly. A perfunctory knowledge of third generation systems is presumed.

14 A scheduling philosophy for multi-processing systems

Butler W. Lampson

January 1967 **Proceedings of the first ACM symposium on Operating System Principles**

Full text available:  pdf(1.51 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the essential parts of any computer system is a mechanism for allocating the processors of the system among the various competitors for their services. These allocations must be performed in even the simplest system, for example, by the action of an operator at the console of the machine. In larger systems more automatic techniques are usually adopted; batching of jobs, interrupts and interval timers are the most common ones. As the use of such techniques becomes more frequent, it be ...

15 4.2BSD and 4.3BSD as examples of the UNIX system

John S. Quarterman, Abraham Silberschatz, James L. Peterson

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available:  [pdf\(4.07 MB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Version (4.2BSD), which is a version of the UNIX Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California at Berkeley. We trace the historical development of the UNIX system from its conception in 1969 until today, and describe the design principles that have guided this development. We then present the internal data structures and ...

16 A scheduling philosophy for multiprocessing systems

Butler W. Lampson

May 1968 **Communications of the ACM**, Volume 11 Issue 5

Full text available:  [pdf\(2.11 MB\)](#)


Additional Information: [full citation](#), [references](#), [citations](#)

Keywords: interlocks, interrupt systems, multiprocessing, priority, process, protection, scheduling, time-sharing

17 M65MP: An experiment in OS/360 multiprocessing

Bernard I. Witt

January 1968 **Proceedings of the 1968 23rd ACM national conference**

Full text available:  [pdf\(1.07 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The System/360 Model 65 multiprocessing system (M65MP) described in this paper exists and is in operation at the IBM facility in Gaithersburg, Maryland. The Gaithersburg programming effort is the base for IBM's support of multiprocessing announced on January 3, 1968. The only purpose of this paper, however, is to relate strictly personal observations about the development period and the results accomplished.

18 A thread-aware debugger with an open interface

Daniel Schulz, Frank Mueller

August 2000 **ACM SIGSOFT Software Engineering Notes , Proceedings of the International Symposium on Software Testing and Analysis**, Volume 25 Issue 5

Full text available:  [pdf\(347.13 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


While threads have become an accepted and standardized model for expressing concurrency and exploiting parallelism for the shared-memory model, debugging threads is still poorly supported. This paper identifies challenges in debugging threads and offers solutions to them. The contributions of this paper are threefold. First, an open interface for debugging as an extension to thread implementations is proposed. Second, extensions for thread-aware debugging are identified and implemented with ...

Keywords: active debugging, concurrency, debugging, open interface, threads

19 A proposal for certain process management and intercommunication primitives

Gary D. Knott

October 1974 **ACM SIGOPS Operating Systems Review**, Volume 8 Issue 4


Full text available:  pdf(2.52 MB)

Additional Information: [full citation](#), [references](#), [citations](#)

20 [A model for the local area of a data communication network software organization](#) 

P. T. Wilkinson

October 1969 **Proceedings of the first ACM symposium on Problems in the optimization of data communications systems**

Full text available:  pdf(1.31 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A general purpose store-and-forward data communication network is under development at NPL. The background to this work is described in companion papers(1)(2) which also detail the hardware environment in which the software of the central message switching computer (MSC) operates. A user of this system sees it as a star-connected network by means of which his terminal may exchange data with any other terminal via the MSC. Because this centre is stored-program ...

Results 1 - 20 of 48

Result page: [1](#) [2](#) [3](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)